

## 学位論文一覧 (2017 年まで)

1. Takeuchi A, Matsushita T, Kaji K, Okamoto Y, Yasui M, Hirata M, Oishi N, Higashi A, Seishima M, Asano T, Fujimoto M, Kuwana M, Takehara K, Hamaguchi Y  
Autoantibody to scaffold attachment factor B (SAFB): A novel connective tissue disease-related autoantibody associated with interstitial lung disease  
*J Autoimmun*, 76 : 101-107, 2017
2. Oishi K, Hamaguchi Y, Matsushita T, Hasegawa M, Okiyama N, Dernedde J, Weinhart M, Haag R, Tedder TF, Takehara K, Kohsaka H, Fujimoto M  
A crucial role of L-selectin in C protein-induced experimental polymyositis of mice  
*Arthritis Rheum*, 66 : 1867-1871, 2014
3. Kobayashi T, Hamaguchi Y, Hasegawa M, Fujimoto M, Takehara K, Matsushita T  
B Cells Promote Tumor Immunity against B16F10 Melanoma  
*Am J Pathol*, 184 : 3120-3129, 2014
4. Arai M, Ikawa Y, Chujo S, Hamaguchi Y, Ishida W, Shirasaki F, Hasegawa M, Mukaida N, Fujimoto M, Takehara K  
Chemokine receptors CCR2 and CX3CR1 regulate skin fibrosis in the mouse model of cytokine-induced systemic sclerosis  
*J Dermatol Sci*, 69 : 250-258, 2013
5. Jin G, Matsushita T, Hamaguchi Y, Le Huu D, Ishii T, Hasegawa M, Obata K, Karasuyama H, Takehara K, Fujimoto M  
Basophils and mast cells play critical roles for leukocyte recruitment in IgE-mediated cutaneous reverse passive Arthus reaction  
*J Dermatol Sci*, 67 : 181-189, 2012
6. Le Huu D, Matsushita T, Jin G, Hamaguchi Y, Hasegawa M, Takehara K, Fujimoto M  
IL-6 Blockade Attenuates the Development of Murine Sclerodermatous Chronic Graft-Versus-Host Disease  
*J Invest Dermatol*, 132 : 2752-2761, 2012
7. Okamoto Y, Hasegawa M, Matsushita T, Hamaguchi Y, Huu DL, Iwakura Y, Fujimoto M, Takehara K  
Potential roles of interleukin 17A in the development of skin fibrosis  
*Arth Rheum*, 64 : 3726-3735, 2012
8. Maeda S, Fujimoto M, Matsushita T, Hamaguchi Y, Takehara K, Hasegawa M  
Inducible costimulator (ICOS) and ICOS ligand signaling has pivotal roles in skin wound healing via cytokine production  
*Am J Pathol*, 179 : 2360-2369, 2011
9. Odaka M, Hasegawa M, Hamaguchi Y, Ishiura N, Kumada S, Matsushita T, Komura K, Sato S, Takehara K, Fujimoto M  
Autoantibody-mediated regulation of B cell responses by functional anti-CD22 autoantibodies in patients with systemic sclerosis  
*Clin Exp Immunol*, 159: 176-184, 2010

10. Tanaka C, Fujimoto M, Hamaguchi Y, Sato S, Takehara K, Hasegawa M  
Inducible costimulator ligand (ICOSL) regulates bleomycin-induced lung and skin fibrosis independently of the ICOS-ICOSL pathway  
*Arthritis Rheum*, 62: 1723-1732, 2010
11. Ishii T, Fujita T, Matsushita T, Yanaba K, Hasegawa M, Nakashima H, Ogawa F, Shimizu K, Takehara K, Tedder TF, Sato S, Fujimoto M  
Establishment of experimental eosinophilic vasculitis by IgE-mediated cutaneous reverse passive arthus reaction  
*Am J Pathol*, 174: 2225-2233, 2009
12. Saito Y, Hasegawa M, Fujimoto M, Matsushita T, Horikawa M, Takenaka M, Ogawa F, Sugama J, Steeber DA, Sato S, Takehara K  
The loss of MCP-1 attenuates cutaneous ischemic-reperfusion injury in a mouse model of pressure ulcer  
*J Invest Dermatol*, 128: 1838-1851, 2008
13. Ikawa Y, Poh-Sing NG, Endo K, Kondo M, Chujo S, Ishida W, Shirasaki F, Fujimoto M, Takehara K  
Neutralizing monoclonal antibody to human connective tissue growth factor ameliorates transforming growth factor- $\beta$ -induced mouse fibrosis  
*J Cell Physiol*, 216: 680-687, 2008
14. Kaji K, Fujimoto M, Hasegawa M, Kondo M, Saito Y, Komura K, Matsushita T, Orito H, Hamaguchi Y, Yanaba K, Itoh M, Asano Y, Seishima M, Ogawa F, Sato S, Takehara K  
Identification of a novel autoantibody reactive with 155 and 140 kDa nuclear proteins in patients with dermatomyositis: an association with malignancy  
*Rheumatology* 46: 25-28, 2007
15. Fujita T, Fujimoto M, Matsushita T, Shimada Y, Hasegawa M, Kuwano Y, Ogawa F, Takehara K, Sato S  
Phase-dependent roles of E-selectin during chronic contact hypersensitivity responses  
*Am J Pathol*, 170 : 1649-1658, 2007
16. Yukami T, Hasegawa M, Matsushita Y, Fujita T, Matsushita T, Horikawa M, Komura K, Yanaba K, Hamaguchi Y, Nagaoka T, Ogawa F, Fujimoto M, Steeber DA, Tedder TF, Takehara K, Sato S  
Endothelial selectins regulate skin wound healing in cooperation with L-selectin and ICAM-1  
*J Leukoc Biol*, 82 : 519-531, 2007
17. Wayaku T, Hasegawa M, Kaji K, Kondo M, Saito Y, Orito H, Horikawa M, Matsushita T, Komura K, Hayakawa I, Hamaguchi Y, Ogawa F, Fujimoto M, Takehara K, Sato S  
Antigen specificity of antihistone antibodies in connective tissue disease patients with anti-U1 RNP antibodies  
*Rheumatol Int*, 28 : 113-119, 2007
18. Orito H, Fujimoto M, Ishiura N, Yanaba K, Matsushita T, Hasegawa M, Ogawa F, Takehara K, Sato S  
Intercellular adhesion molecule-1 and vascular cell adhesion molecule-1 cooperatively to the cutaneous arthus reaction  
*J Leukoc Biol*, 81: 1197-1204, 2007
19. Kawasuji A, Hasegawa M, Horikawa M, Fujita T, Fujita T, Matsushita Y, Matsushita T,

- Fujimoto M, Steeber DA, Tedder TF, Takehara K, Sato S  
L-selectin and intercellular adhesion molecule-1 regulate the development of concanavalin A-induced liver injury  
*J Leukocyte Biol* 79 : 696-705, 2006
20. Yamada M, Yanaba K, Hasegawa M, Matsushita Y, Horikawa M, Komura K, Matsushita T, Kawasuji A, Fujita T, Takehara K, Tedder TF, Sato S  
Regulation of local and metastatic host-mediated anti-tumour mechanisms by L-selectin and intercellular adhesion molecule-1  
*Clin Exp Immunol* 143 : 216-227, 2006
21. Matsushita T, Fujimoto M, Hasegawa M, Komura K, Takehara K, Tedder TF, Sato S  
Inhibitory role of CD19 in the progression of experimental autoimmune encephalomyelitis by regulating cytokine response  
*Am J Pathol* 168 : 812-821, 2006
22. Chujo S, Shirasaki F, Kawara S, Inagaki Y, Kimbara T, Inaoki M, Takigawa M, Takehara K  
Connective Tissue Growth Factor Causes Persistent Pro $\alpha$ 2(I) Collagen Gene Expression Induced by Transforming Growth Factor- $\beta$  in a Mouse Fibrosis Model  
*J Cell Physiol* 203 : 447-456, 2005
23. Matsushita Y, Shimada Y, Kawara S, Takehara K, Sato S  
Autoantibody directed against the protease inhibitor calpastatin in psoriasis  
*Clin Exp Immunol* 139 : 355-362, 2005
24. Koder M, Hayakawa I, Komura K, Yanaba K, Hasegawa M, Takehara K, Sato S  
Anti-lipoprotein lipase antibody in systemic sclerosis: association with elevated serum triglyceride concentrations  
*J Rheumatol* 32 : 629-636, 2005
25. Horikawa M, Hasegawa M, Komura K, Hayakawa I, Yanaba K, Matsushita T, Takehara K, Sato S  
Abnormal natural killer cell function in systemic sclerosis: altered cytokine production and defective killing activity  
*J Invest Dermatol* 125 : 731-737, 2005
26. Hayakawa I, Hasegawa M, Takehara K, Sato S  
Anti-DNA topoisomerase II $\alpha$  autoantibodies in localized scleroderma  
*Arthritis Rheum* 50 : 227-232, 2004
27. Nagai M, Hasegawa M, Takehara K, Sato S  
Novel autoantibody to Cu/Zn superoxide dismutase in patients with localized scleroderma  
*J Invest Dermatol* 122 : 594-601, 2004
28. Echigo T, Hasegawa M, Shimada Y, Takehara K, Sato S  
Expression of fractalkine and its receptor, CX3CR1, in atopic dermatitis: possible contribution to skin inflammation  
*J Allergy Clin Immunol* 113 : 940-948, 2004
29. Kondo M, Cubillo E, Tobiume K, Shirakihara T, Fukuda N, Suzuki H, Shimizu K, Takehara K, Cano A, Saitoh M, Miyazono K  
A role for Id in the regulation of TGF- $\beta$ -induced epithelial-mesenchymal transdifferentiation

30. Nishijima C, Hayakawa I, Matsushita T, Komura K, Hasegawa M, Takehara K, Sato S  
Autoantibody against matrix metalloproteinase-3 in patients with systemic sclerosis  
Clin Exp Immunol 138 : 357-363, 2004
31. Yanaba K, Kaburagi Y, Takehara K, Steeber DA, Tedder TF, Sato S  
Relative contributions of selectins and intercellular adhesion molecule-1 to tissue injury  
induced by immune complex deposition  
Am J Pathol 162 : 1463-1473, 2003
32. Arikawa K, Takuwa N, Yamaguchi H, Sugimoto N, Kitayama J, Nagawa H, Takehara  
K, Takuwa Y  
Ligand-dependent inhibition of B16 melanoma cell migration and invasion via  
endogenous S1P2 G protein-coupled receptor. Requirement of inhibition of cellular RAC  
activity  
J Biol Chem 278 : 32841-32851, 2003
33. Komura K, Hasegawa M, Hamaguchi Y, Saito E, Kaburagi Y, Yanaba K, Kawara S,  
Takehara K, Seki M, Steeber DA, Tedder TF, Sato S  
Ultraviolet light exposure suppresses contact hypersensitivity by abrogating endothelial  
intercellular  
adhesion molecule-1 up-regulation at the elicitation site  
J Immunol 171 : 2855-2862, 2003
34. Kaburagi Y, Hasegawa M, Nagaoka T, Shimada Y, Hamaguchi Y, Komura K, Saito E,  
Yanaba K, Takehara K, Kadono T, Steeber DA, Tedder TF, Sato S  
The cutaneous reverse Arthus reaction requires intercellular adhesion molecule 1 and  
L-selectin expression  
J Immunol 168 : 2970-2978, 2002
35. Komatsu N, Takata M, Otsuki N, Ohka R, Amano O, Takehara K, Saijoh K  
Elevated stratum corneum hydrolytic activity in Netherton syndrome suggests an  
inhibitory  
regulation of desquamation by SPINK5-derived peptides  
J Invest Dermatol 118 : 436-443, 2002
36. Kinbara T, Shirasaki F, Kawara S, Inagaki Y, Benoit de Crombrughe, Takehara K  
Transforming growth factor- $\beta$  isoforms differently stimulate pro $\alpha$ 2(I) collagen gene  
expression during wound healing process in transgenic mice  
J Cell Physiol 190 : 375-381, 2002
37. Saito E, Fujimoto M, Hasegawa M, Komura K, Hamaguchi Y, Kaburagi Y, Nagaoka T,  
Takehara K, Tedder TF, Sato S  
CD 19-dependent B lymphocyte signaling thresholds influence skin fibrosis and  
autoimmunity in the tight-skin mouse  
J Clin Invest 109 : 1453-1462, 2002
38. Hamaguchi Y, Nishizawa Y, Yasui M, Hasegawa M, Kaburagi Y, Komura K, Takehara K,  
Kadono T, Steeber DA, Tedder TF, Sato S  
Intercellular adhesion molecule-1 and L-selectin regulate bleomycin-induced lung  
fibrosis  
Am J Pathol 161 : 1607-1618, 2002
39. Nakatani T, Kaburagi Y, Shimada Y, Inaoki M, Takehara K, Mukaida N, Sato S

CCR4+ memory CD4+ T lymphocytes are increased in peripheral blood and lesional skin from patients with atopic dermatitis  
J Allergy Clin Immunol 107 : 353-358, 2001

40. Aoki H, Fujii M, Imamura T, Yabi K, Takehara K, Kato M, Miyazono K  
Synergistic effects of different bone morphogenetic protein type I receptors on alkaline phosphatase induction  
J Cell Science 114 : 1483-1489, 2001
41. Ishida W, Hamamoto T, Kusanagi K, Yagi K, Kawabata M, Takehara K, Sampath TK, Kato M, Miyazono K  
Smad6 is a smad 1/5-induced smad inhibitor  
J Biol Chem 275 : 6075-6079, 2000
42. Nagaoka T, Kaburagi Y, Hamaguchi Y, Hasegawa M, Takehara K, Steeber DA, Tedder TF, Sato S  
Delayed wound healing in the absence of intercellular adhesion molecule-1 or L-selectin expression  
Am J Pathol 157 : 237-247, 2000
43. Fujimoto A, Morita R, Hatta N, Takehara K, Takata M  
p16INK4a inactivation is not frequent in uncultured sporadic primary cutaneous melanoma  
Oncogene 18 : 2527-2532, 1999
44. Shimada Y, Sato S, Hasegawa M, Tedder TF, Takehara K  
Elevated serum L-selectin levels and abnormal regulation of L-selectin expression on leukocytes in atopic dermatitis: Soluble L-selectin levels indicate disease severity  
J Allergy Clin Immunol 104 : 163-168, 1999
45. Mori T, Kawara S, Shinozaki M, Hayasi N, Kakinuma T, Igarashi A, Takigawa M, Nakanishi T, Takehara K  
Role and interaction of connective tissue growth factor with transforming growth factor- $\beta$  in persistent fibrosis: A mouse fibrosis model  
J Cell Physiol 181 : 153-159, 1999
46. Morita R, Fujimoto A, Hatta N, Takehara K, Takata M  
Comparison of genetic profiles between primary melanomas and their metastases reveals genetic alterations and clonal evolution during progression  
J Invest Dermatol 111 : 919-924, 1998
47. Taniuchi K, Yamada Y, Nonomura A, Takehara K  
Immunohistochemical analysis of platelet-derived growth factor and its receptors in fibrohistiocytic tumors  
J Cutan Pathol 24 : 393-397, 1997
48. Shinozaki M, Kawara S, Hayashi N, Kakinuma T, Igarashi A, Takehara K  
Induction of subcutaneous tissue fibrosis in newborn mice by transforming growth factor  $\beta$ -simultaneous application with basic fibroblast growth factor causes persistent fibrosis  
Biochem Biophys Res Commun 240 : 507-513, 1997