

2000年 論文業績

1. Takata M, Hashimoto K, Mehregan P, Lee MW, Yamamoto A, Mohri S, Ohara K, Takehara K
Genetic changes in sweat gland carcinomas
J Cutan Pathol 27 : 30-35, 2000
2. Ihn H, Sato S, Fujimoto M, Igarashi A, Yazawa N, Kubo K, Kikuchi K, Takehara K
Characterization of autoantibodies to endothelial cells in systemic sclerosis (SSc) : association with pulmonary fibrosis
Clin Exp Immunol 119 : 203-209, 2000
3. Sato S, Nagaoka T, Hasegawa M, Tamatani T, Nakanishi T, Takigawa M, Takehara K
Serum levels of connective tissue growth factor are elevated in patients with systemic sclerosis: Association with extent of skin sclerosis and severity of pulmonary fibrosis
J Rheumatol 27 : 149-154, 2000
4. Takata M, Morita R, Takehara K
Clonal heterogeneity in sporadic melanomas as revealed by loss-of-heterozygosity analysis
Int J Cancer 85 : 492-497, 2000
5. Wu Y-Y, Takata M, Rehman I, Rees JL
The temporal and spatial distribution of p21 WAF expression in skin appendages
Br J Dermatol 142 : 694-701, 2000
6. Langdon SD, Inaoki M, Garnett K, Tedder TF
Germline sequences of VH7183 gene family members in C57BL/6 mice demonstrate natural selection of particular sequences during recent evolution
Immunogenetics 51 : 241-245, 2000
7. Ihn H, Yazawa N, Kubo M, Yamane K, Sato S, Fujimoto M, Kikuchi K, Soma Y, Tamaki K
Circulating levels of soluble CD30 are increased in patients with localized scleroderma and correlated with serological and clinical features of the disease
J Rheumatol 27 : 698-702, 2000
8. Uchiyama K, Yamamoto Y, Taniuchi K, Mastui C, Fushida Y, Shirao Y
Remission of antielastin (Laminin-5) cicatricial pemphigoid after excision of gastric carcinoma
Cornea 19 : 565-566, 2000
9. Nagaoka T, Sato S, Hasegawa M, Ihn H, Takehara K
Serum levels of soluble interleukin 6 receptor and soluble gp130 are elevated in patients with localized scleroderma
J Rheumatol 27 : 1917-1921, 2000
10. Fujimoto A, Takata M, Hatta N, Takehara K
Expression of structurally unaltered androgen receptor in extramammary Paget's disease
Lab Invest 80 : 1465-1471, 2000
11. Murata T, Masunaga T, Shimizu H, Takizawa Y, Ishiko A, Hatta N, Nishikawa T
Glycine substitution mutations by different amino acids in the same codon of COL7A1 lead to heterogeneous clinical phenotypes of dominant dystrophic epidermolysis bullosa
Arch Dermatol Res 292 : 477-781, 2000
12. Takata M, Shirasaki F, Nakatani T, Takehara K
Hereditary non-polyposis colorectal cancer associated with disseminated superficial porokeratosis.
Microsatellite instability in skin tumours

- Br J Dermatol 143 : 851-855, 2000
13. Inaoki M, Sato S, Shimada Y, Kawara S, Steeber DA, Tedder TF, Takehara K
Decreased expression levels of L-selectin on subsets of leucocytes and increased serum L-selectin
severe psoriasis
Clin Exp Immunol 122 : 484-492, 2000
 14. Sato S, Hanakawa H, Hasegawa M, Nagaoka T, Hamaguchi Y, Nishijima C, Komatsu N, Takehara K
Levels of interleukin 12, a cytokine of type 1 helper T cells, are elevated in sera from patients with
systemic sclerosis
J Rheumatol 27 : 2838-2842, 2000
 15. Sato S, Hasegawa M, Fujimoto M, Tedder TF, Takehara K
Quantitative genetic variation in CD19 expression correlates with autoimmunity
J Immunol 165 : 6635-6643, 2000
 16. Sato S, Hasegawa M, Ihn H, Kikuchi K, Takehara K
Clinical significance of antinuclear matrix antibody in serum from patients with anti-U1RNP antibody
Arch Dermatol Res 292 : 55-59, 2000
 17. Sato S, Nagaoka T, Hasegawa M, Nishijima C, Takehara K
Elevated serum KL-6 levels in patients with systemic sclerosis: association with the severity of
pulmonary fibrosis
Dermatology 200 : 196-201, 2000
 18. Tedder TF, Sato S, Poe JC, Fujimoto M
CD19 and CD22 regulate a B lymphocyte signal transduction pathway that contributes to
autoimmunity
Keio J Med 49 : 1-13, 2000
 19. Ishida W, Hamamoto T, Kusanagi K, Yagi K, Kawabata M, Takehara K, Sampath TK, Kato M,
Miyazono K
Smad6 is a smad 1/5-induced smad inhibitor
J Biol Chem 275 : 6075-6079, 2000
 20. Nagaoka T, Kaburagi Y, Hamaguchi Y, Hasegawa M, Takehara K, Steeber DA, Tedder TF, Sato S
Delayed wound healing in the absence of intercellular adhesion molecule-1 or L-selectin
expression
Am J Pathol 157 : 237-247, 2000