

## 2004 年 論文業績

1. Uchida J, Lee Y, Hasegawa M, Liang Y, Bradney A, Oliver JA, Bowen K, Steeber DA, Hass KM, Poe JC, Tedder TF  
Mouse CD20 expression and function  
Int Immunol 16 : 119-129, 2004
2. Ogawa D, Shikata K, Honke K, Sato S, Matsuda M, Nagase R, Tone A, Okada S, Usui H, Wada J, Miyasaka M, Kawashima H, Suzuki Y, Suzuki T, Taniguchi N, Hirahara Y, Tadano-Aritomi K, Ishizuka I, Tedder TF, Makino H  
Cerebroside sulfotransferase deficiency ameliorates L-selectin-dependent monocyte infiltration in the kidney after ureteral obstruction  
J Biol Chem 279 : 2085-2090, 2004
3. Kondo M, Suzuki H, Takehara K, Miyazono K, Kato M  
Transforming growth factor- $\beta$  signaling is differentially inhibited by Smad2D450E and Smad3D407E  
Cancer Sci 95 : 12-17, 2004
4. Fujimoto A, Takeuchi H, Taback B, Hsueh EC, Elashoff D, Morton DL, Hoon DS  
Allelic imbalance of 12q22-23 associated with APAF-1 locus correlates with poor disease outcome in cutaneous melanoma  
Cancer Res 64 : 2245-2250, 2004
5. Shinozaki M, Fujimoto A, Morton DL, Hoon DS.  
Incidence of BRAF oncogene mutation and clinical relevance for primary cutaneous melanomas.  
Clin Cancer Res 10 : 1753-7, 2004
6. Nakajima K, Kawano M, Kinuya K, Sato S, Takehara K, Tonami N  
The diagnostic value of oesophageal transit scintigraphy for evaluating the severity of oesophageal complications in systemic sclerosis  
Nucl Med Commun 25 : 375-381, 2004
7. Takeuchi H, Fujimoto A, Tanaka M, Yamano T, Hsueh E, Hoon DS  
CCL21 chemokine regulates chemokine receptor CCR7 bearing malignant melanoma cells.  
Clin Cancer Res 10 : 2351-2358, 2004
8. Komura K, Sato S, Hasegawa M, Fujimoto M, Takehara K  
Elevated circulating CD40L concentrations in patients with systemic sclerosis  
J Rheumatol 31 : 514-519, 2004
9. Shimada Y, Takehara K, Sato S  
Both Th2 and Th1 chemokines(TARC/CCl17,MDC/CCL22,and Mig/CXCL9) are elevated in sera from patients with atopic dermatitis  
J Dermatol Sci 34 : 201-208, 2004

10. Yanaba K, Takehara K, Sato S  
Serum concentrations of soluble P-selectin glycoprotein ligand-1 are increased in patients with systemic sclerosis:association with lower frequency of pulmonary fibrosis  
Ann Rheum Dis 63 : 583-587, 2004
11. Yanaba K, Horikawa M, Matsushita Y, Takehara K, Sato S  
P-selectin glycoprotein ligand-1 is required for the development of cutaneous vasculitis induced by immune complex deposition  
J Leukoc Biol 76 : 374-382, 2004
12. Hasegawa M, Sato S, Takehara K  
Augmented production of transforming growth factor- $\beta$  by cultured peripheral blood mononuclear cells from patients with systemic sclerosis  
Arch Dermatol Res 296 : 89-93, 2004
13. Sato S, Fujimoto M, Hasegawa M, Takehara K  
Altered blood B lymphocyte homeostasis in systemic sclerosis:expanded naive B cells and diminished but activated memory B cells  
Arthritis Rheum 50 : 1919-1927, 2004
14. Yanaba K, Hasegawa M, Takehara K, Sato S  
Comparative study of serum surfactant protein-D and KL-6 concentrations in patients with systemic sclerosis as markers for monitoring the activity of pulmonary fibrosis  
J Rheumatol 31 : 1112-1120, 2004
15. Inaoki M, Sato S, Takehara K  
Elevated expression of CD23 on peripheral blood B lymphocytes from patients with bullous pemphigoid:correlation with increased serum IgE  
J Dermatol Sci 35 : 53-59, 2004
16. Sato S, Fujimoto M, Hasegawa M, Komura K, Yanaba K, Hayakawa I, Matsushita T, Takehara K  
Serum soluble CTLA-4 levels are increased in diffuse cutaneous systemic sclerosis  
Rheumatology (Oxford) 43 : 1261-1266, 2004
17. Fujimoto A, O'Day SJ, Taback B, Elashoff D, Hoon DS  
Allelic imbalance on 12q22-23 in serum circulating DNA of melanoma patients predicts disease outcome  
Cancer Res 64 : 4085-4088, 2004
18. Takeuchi H, Fujimoto A, Hoon DS  
Detection of mitochondrial DNA alterations in plasma of malignant melanoma patients.  
Ann N Y Acad Sci 1022 : 50-54, 2004
19. Hayakawa I, Sato S, Hasegawa M, Echigo T, Takehara K  
A case of scleroderma spectrum disorder with anticentriole antibody and pulmonary hypertension  
Clin Rheumatol 23 : 266-268, 2004

20. Fujii H, Shimada Y, Hasegawa M, Takehara K, Sato S  
Serum levels of a Th1 chemoattractant IP-10 and Th2 chemoattractants, TARC and MDC, are elevated in patients with systemic sclerosis  
J Dermatol Sci 35 : 43-51, 2004
21. Uchida J, Hamaguchi Y, Oliver JA, Ravetch JV, Poe JC, Haas KM, Tedder TF  
The innate mononuclear phagocyte network depletes B lymphocytes through Fc receptor-dependent mechanisms during anti-CD20 antibody immunotherapy.  
J Exp Med 199 : 1659-1669, 2004
22. Suzuki H, Yagi K, Kondo M, Kato M, Miyazono K, Miyazawa K  
c-Ski inhibits the TGF-beta signaling pathway through stabilization of inactive Smad complexes on Smad-binding elements  
Oncogene 23 : 5068-5076, 2004
23. Takeuchi H, Morton DL, Kuo C, Turner RR, Elashoff D, Elashoff R, Taback B, Fujimoto A, Hoon DS  
Prognostic significance of molecular upstaging of paraffin-embedded sentinel lymph nodes in melanoma patients  
J Clin Oncol 22 : 2671-80, 2004
24. Asano N, Fujimoto M, Yazawa N, Shirasawa S, Hasegawa M, Okochi H, Tamaki K, Tedder TF, Sato S  
B lymphocyte signaling established by the CD19/CD22 loop regulates autoimmunity in the tight skin mouse  
Am J Pathol 165 : 641-650, 2004
25. Hayakawa I, Sato S, Echigo T, Shirasaki F, Hasegawa M, Takehara K  
Improvement of skin sclerosis after occurrence of anticentromere antibody in a patient with diffuse cutaneous systemic sclerosis  
Clin Rheumatol 23 : 345-347, 2004
26. Fukushima S, Hatta N  
Atypical moles in a patient undergoing chemotherapy with oral 5-fluorouracil prodrug  
Br J Dermatol 151 : 698-700, 2004
27. Umetani N, Fujimoto A, Takeuchi H, Shinozaki M, Bilchik AJ, Hoon DS  
Allelic imbalance of APAF-1 locus at 12q23 is related to progression of colorectal carcinoma.  
Oncogene 23 : 8292-300, 2004
28. Hatta N, Morita R, Yamada M, Echigo T, Hirano T, Takehara K, Ichianagi K, Yokoyama K  
Sentinel lymph node biopsy in patients with extramammary Paget's disease  
Dermatol Surg 30 : 1329-1334, 2004
29. Poe JC, Fujimoto Y, Hasegawa M, Haas KM, Miller AS, Sanford IG, Bock CB, Fujimoto M, Tedder TF  
CD22 regulates B lymphocyte function in vivo through both ligand-dependent and -independent mechanisms  
Nat Immunol 5 : 1078-1087, 2004

30. Nishijima C, Hayakawa I, Matsushita T, Komura K, Hasegawa M, Takehara K, Sato S  
Autoantibody against matrix metalloproteinase-3 in patients with systemic sclerosis  
*Clin Exp Immunol* 138 : 357-363, 2004
31. Hasegawa M, Sato S, Yanaba K, Komura K, Yamazaki M, Takehara K  
Autoantibodies against phosphatidylserine-prothrombin complex in patients with systemic sclerosis  
*Ann Rheum Dis* 63 : 1514-1517, 2004
32. Yamada M, Hatta N, Sogo K, Komura K, Hamaguchi Y, Takehara K  
Management of squamous cell carcinoma in a patient with recessive-type epidermolysis bullosa dystrophica  
*Dermatol Surg* 30 : 1424-1429, 2004
33. Matsuyama S, Iwadate M, Kondo M, Saitoh M, Hanyu A, Shimizu K, Aburatani H, Mishima HK, Imamura T, Miyazono K, Miyazawa K  
SB-431542 and Gleevec inhibit transforming growth factor-beta-induced proliferation of human osteosarcoma cells  
*Cancer Res* 63 : 7791-7798, 2004
34. Yanaba K, Mukaida N, Matsushima K, Murphy PM, Takehara K, Sato S  
Role of C-C chemokine receptors 1 and 5 and CCL3/macrophage inflammatory protein-1  $\alpha$  in the cutaneous Arthus reaction: possible attenuation of their inhibitory effects by compensatory chemokine  
*Eur J Immunol* 34 : 3553-3561, 2004
35. Ishigaki H, Hatta N, Yamada M, Orito H, Takehara K  
Localised vulva Langerhans cell histiocytosis  
*Eur J Dermatol* 14 : 412-414, 2004
36. Sato S, Hasegawa M, Fujimoto M, Takehara K  
Anti-nucleosome antibody is a major autoantibody in localized scleroderma  
*Br J Dermatol* 151 : 1182-1188, 2004
37. Fujimoto M, Hamaguchi Y, Hasegawa M, Takehara K, Sato S  
Autoantibodies to a collagens-specific molecular chaperone, heat-shock protein 47, in systemic sclerosis  
*Clin Exp Immunol* 138 : 534-539, 2004
38. Tsuchiya N, Kuroki K, Murakami Y, Fujimoto M, Tedder TF, Tokunaga K, Takehara K, Sato S  
Association of functional CD19 polymorphism with susceptibility to systemic sclerosis (scleroderma)  
*Arthritis Rheum* 50 : 4002-4007, 2004
39. Takehara K  
Treatment of early diffuse cutaneous systemic sclerosis patients in Japan by low-dose corticosteroids for skin involvement  
*Clin Exp Rheumatol* 3 : S87-S89, 2004
40. Hayakawa I, Hasegawa M, Takehara K, Sato S  
Anti-DNA topoisomerase II  $\alpha$  autoantibodies in localized scleroderma  
*Arthritis Rheum* 50 : 227-232, 2004
41. Nagai M, Hasegawa M, Takehara K, Sato S  
Novel autoantibody to Cu/Zn superoxide dismutase in patients with localized scleroderma  
*J Invest Dermatol* 122 : 594-601, 2004
42. Echigo T, Hasegawa M, Shimada Y, Takehara K, Sato S

Expression of fractalkine and its receptor, CX3CR1, in atopic dermatitis: possible contribution to skin inflammation

J Allergy Clin Immunol 113 : 940-948, 2004

43. Kondo M, Cubillo E, Tobiume K, Shirakihara T, Fukuda N, Suzuki H, Shimizu K, Takehara K, Cano A, Saitoh M, Miyazono K

A role for Id in the regulation of TGF- $\beta$ -induced epithelial-mesenchymal transdifferentiation

Cell Death Differ 11 : 1092-1101, 2004