

## 2005 年 論文業績

1. Yamada M, Hatta N, Mizuno M, Oishi N, Takehara K  
Weekly low-dose docetaxel in the treatment of lung metastases from angiosarcoma of the head  
*Br J Dermatol* 152 : 811-812, 2005
2. Hasegawa M, Sato S, Echigo T, Hamaguchi Y, Yasui M, Takehara K  
Up-regulated expression of fractalkine/CX3CL1 and CX3CR1 in patients with systemic sclerosis  
*Ann Rheum Dis* 64 : 21-28, 2005
3. Hatta N, Hirano T, Kimura T, Hashimoto K, Mehregan DR, Ansai S, Takehara K, Hasegawa M,  
Molecular diagnosis of basal cell carcinoma and other basaloid cell neoplasms of the skin by the  
quantification of Gli1 transcript levels  
*J Cutan Pathol* 32 : 131-136, 2005
4. Hatta N, Morita R, Yamada M, Takehara K, Ichianagi K, Yokoyama K  
Implications of popliteal lymph node detected by sentinel lymph node biopsy  
*Dermatol Surg* 31 : 327-330, 2005
5. Hayakawa I, Hasegawa M, Matsushita T, Yanaba K, Koder M, Komura K, Takehara K, Sato S  
Increased cutaneous T-cell-attracting chemokine levels in sera from patients with systemic  
sclerosis  
*Rheumatology* 44 : 873-878, 2005
6. Komatsu N, Saijoh K, Toyama T, Ohka R, Otsuki N, Hussack G, Takehara K, Diamandis EP  
Multiple tissue kallikrein mRNA and protein expression in normal skin and skin diseases  
*Br J Dermatol* 153 : 274-281, 2005
7. Hamaguchi Y, Uchida J, Cain DW, Venturi GM, Poe JC, Haas KM, Tedder TF  
The peritoneal cavity provides a protective niche for B1 and conventional B lymphocytes during  
anti-CD20 immunotherapy in mice  
*J Immunol* 174 : 4389-4399, 2005
8. Murata M, Sato S, Komura K, Shirasaki F, Hasegawa M, Takehara K  
Clinical characteristics of juvenile systemic sclerosis in Japanese  
*J Rheumatol* 32 : 1850-1852, 2005
9. Koder M, Hasegawa M, Komura K, Yanaba K, Takehara K, Sato S  
Serum pulmonary and activation-regulated chemokine/CCL18 levels in patients with systemic  
sclerosis  
*Arthritis Rheum* 52 : 2889-2896, 2005
10. Yazawa N, Hamaguchi Y, Poe JC, Tedder TF  
Immunotherapy using unconjugated CD19 monoclonal antibodies in animal models for B  
lymphocyte malignancies and autoimmune disease  
*Proc Natl Acad Sci USA* 102 : 15178-15183, 2005
11. Komatsu N, Saijoh K, Sidiropoulos M, Tsai B, Levesque MA, Elliot MB, Takehara K, Diamandis EP  
Quantification of human tissue kallikreins in the stratum corneum : Dependence on age and gender  
*J Invest Dermatol* 125 : 1182-1189, 2005
12. Komura K, Fujimoto M, Matsushita T, Kaji K, Kondo M, Hirano T, Orito H, Horikawa M, Hamaguchi Y,  
Hasegawa M, Takehara K, Sato S

Prevalence and clinical characteristics of anti-Mi-2 antibodies in Japanese patients with dermatomyositis

J Dermatol Sci 40 : 215-217, 2005

13. Hayakawa I, Hasegawa M, Takehara K, Sato S  
Anti-DNA topoisomerase II  $\alpha$  autoantibodies in Japanese patients with systemic sclerosis  
Arch Dermatol Res 297 : 180-183, 2005
14. Suzuki S, Satoh T, Yasuoka H, Hamaguchi Y, Tanaka K, Kawakami Y, Suzuki N, Kuwana M  
Novel autoantibodies to a voltage-gated potassium channel Kv1.4 in a severe form of myasthenia gravis  
J Neuroimmunol 170 : 141-149, 2005
15. Komura K, Hasegawa M, Hamaguchi Y, Yukami T, Nagai M, Yachie A, Sato S, Takehara K  
Drug-Induced hypersensitivity syndrome associated with human herpesvirus 6 and cytomegalovirus reactivation  
J Dermatol 32 : 976-981, 2005
16. Yamada M, Yanaba K, Takehara K, Sato S  
Clinical significance of serum levels of soluble intercellular adhesion molecule-1 and soluble L-selectin in malignant melanoma  
Arch Dermatol Res 297 : 256-260, 2005
17. Yousef GM, Obiezu CV, Luo LY, Magklara A, Borgono CA, Kishi T, Memari N, Michael P, Sidiropoulos M, Kurlender L, Economopolou K, Kapadia C, Komatsu N, Petraki C, Elliott M, Scorilas A, Katsaros D, Levesque MA, Diamandis EP Related Articles, Links  
Human tissue kallikreins: from gene structure to function and clinical applications  
Adv Clin Chem 39 : 11-79, 2005
18. Nakashima H, Fujimoto M, Tamaki K  
Cutaneous reaction induced by vincristine  
Br J Dermatol 153 : 225-226, 2005
19. Yano S, Ito Y, Fujimoto M, Hamazaki TS, Tamaki K, Okochi H  
Characterization and localization of side population cells in mouse skin  
Stem Cells 23 : 834-841, 2005
20. Furue M, Okamoto T, Hayashi Y, Okochi H, Fujimoto M, Myoishi Y, Abe T, Ohnuma K, Sato GH, Asashima M, Sato JD  
Leukemia inhibitory factor as an anti-apoptotic mitogen for pluripotent mouse embryonic stem cells in a serum-free medium without feeder cells  
In Vitro Cell Dev Biol Anim 41 : 19-28, 2005
21. Fujimoto M, Sato S  
B lymphocytes and systemic sclerosis  
Curr Opin Rheumatol 17: 746-751, 2005
22. Chujo S, Shirasaki F, Kawara S, Inagaki Y, Kimbara T, Inaoki M, Takigawa M, Takehara K  
Connective Tissue Growth Factor Causes Persistent Pro  $\alpha 2(I)$  Collagen Gene Expression Induced by Transforming Growth Factor- $\beta$  in a Mouse Fibrosis Model  
J Cell Physiol 203 : 447-456, 2005
23. Matsushita Y, Shimada Y, Kawara S, Takehara K, Sato S

Autoantibody directed against the protease inhibitor calpastatin in psoriasis  
Clin Exp Immunol 139 : 355-362, 2005

24. Koder M, Hayakawa I, Komura K, Yanaba K, Hasegawa M, Takehara K, Sato S  
Anti-lipoprotein lipase antibody in systemic sclerosis:association with elevated serum triglyceride concentrations  
J Rheumatol 32 : 629-636, 2005
25. Horikawa M, Hasegawa M, Komura K, Hayakawa I, Yanaba K, Matsushita T, Takehara K, Sato S  
Abnormal natural killer cell function in systemic sclerosis:altered cytokine production and defective killing activity  
J Invest Dermatol 125 : 731-737, 2005