

## 2006 年 論文業績

1. Komatsu N, Tsai B, Sidiropoulos M, Saijoh K, Levesque MA, Takehara K, Diamandis EP  
Quantification of eight tissue kallikreins in the stratum corneum and sweat  
J Invest Dermatol 126 : 925-929, 2006
2. Morita R, Hatta N, Shirasaki F, Hayakawa I, Ohishi N, Takehara K  
Lymphatic mapping and sentinel lymph node biopsy for staging of aggressive digital papillary adenocarcinoma  
Plast Reconstr Surg 117 : 710-712, 2006
3. Ogawa F, Shimizu K, Muroi T, Hara T, Hasegawa M, Takehara K, Sato S  
Serum levels of 8-isoprostane, a marker of oxidative stress, are elevated in patients with systemic sclerosis  
Rheumatology 45 : 815-818, 2006
4. Hayakawa I, Shirasaki F, Hirano T, Oishi N, Hasegawa M, Sato S, Takehara K  
Successful treatment with sildenafil in systemic sclerosis patients with isolated pulmonary arterial hypertension: two case reports  
Rheumatol Int 26 : 270-273, 2006
5. Hamaguchi Y, Y Xiu, Komura K, F Nimmerjahn, TF Tedder  
Antibody isotype-specific engagement of Fc $\gamma$  receptors regulates B lymphocyte depletion during CD20 immunotherapy  
J Exp Med 203 : 743-753, 2006
6. Echigo T, Hasegawa M, Shimada Y, Inaoki M, Takehara K, Sato S  
Both Th1 and Th2 chemokines are elevated in sera of patients with autoimmune blistering disease  
Arch Dermatol Res 298 : 38-45, 2006
7. Hayakawa I, Shirasaki F, Ikeda H, Oishi N, Hasegawa M, Sato S, Takehara K  
Reactive hemophagocytic syndrome in a patient with polyarteritis nodosa associated with Epstein-Barr virus reactivation  
Rheumatol Int 26 : 573-576, 2006
8. Fujimoto M, Kuwano Y, Watanabe R, Asashima N, Nakashima H, Yoshitake S, Okochi H, Tamaki K, Poe JC, Tedder TF, Sato S  
B cell antigen receptor and CD40 differentially regulate CD22 tyrosine phosphorylation  
J Immunol 17 : 6873-879, 2006
9. Ishida W, Mori Y, Lakos G, Sun L, Shan F, Bowes S, Josiah S, Lee WC, Singh J, Ling LE, Varga J  
Intracellular TGF-beta receptor blockade abrogates Smad-dependent fibroblast activation in vitro and in vivo  
J Invest Dermatol 126 : 1733-1744, 2006
10. Tamaki K, Kakinuma T, Saeki H, Horikawa T, Kataoka Y, Fujisawa T, Sato S, Takehara K, Nakahara T, Fukagawa S, Furue M  
Serum levels of CCL17/TARC in various skin diseases  
J Dermatol 33 : 300-302, 2006
11. Komatsu N, Suga Y, Saijoh K, Liu AC, Khan S, Mizuno Y, Ikeda S, Wu HK, Jayakumar A, Clayman GL, Shirasaki F, Takehara K, Diamandis EP

- Elevated human tissue kallikrein levels in the stratum corneum and serum of peeling skin syndrome-type B patients suggests an over-desquamation of corneocytes  
*J Invest Dermatol* 126 : 2338-2342, 2006
12. Asashima N, Fujimoto M, Watanabe R, Nakashima H, Yazawa N, Okochi H, Tamaki K  
Serum levels of B cell activator of the TNF family (BAFF) are increased in bullous pemphigoid but not in pemphigus vulgaris  
*Br J Dermatol* 155 : 330-336, 2006
13. Yano S, Komine M, Fujimoto M, Okochi H, Tamaki K  
Activation of Akt by mechanical stretching in human epidermal keratinocytes  
*Exp Dermatol* 15 : 356-361, 2006
14. Kuwano Y, Asahina A, Watanabe R, Fujimoto M, Ihn H, Tamaki K  
Heliotrope-like eruption mimicking dermatomyositis in a patient treated with imatinib mesylate for chronic myeloid leukemia  
*Int J Dermatol* 45 : 1249-1251, 2006
15. Nakashima H, Komine M, Sasaki K, Mitsui H, Fujimoto M, Ihn H, Asahina A, Kikuchi K, Tamaki K  
Necrolytic migratory erythema without glucagonoma in a patient with short Bowel syndrome  
*J Dermatol* 33 : 557-562, 2006
16. Kuwano Y, Watanabe R, Fujimoto M, Komine M, Asahina A, Tsukada N, Tamaki K  
Treatment of HIV-associated eosinophilic pustular folliculitis with narrow-band UVB  
*Int J Dermatol* 45 : 1265-1267, 2006
17. Nakajima K, Kawano M, Hasegawa M, Taki J, Fujimoto M, Takehara K, Tonami N  
Myocardial damages in systemic sclerosis detected by gated myocardial perfusion SPECT and sympathetic imaging  
*Circ J* 70 : 1481-1487, 2006
18. Inaoki M, Echigo T, Hayashi H, Nagaoka T, Hasegawa M, Takehara K, Fujimoto M, Tedder TF, Sato S  
Decreased expression levels of CD22 and L-selectin on peripheral blood B lymphocytes from patients with bullous pemphigoid  
*J Autoimmunity* 27 : 196-202, 2006
19. Furusho S, Myou S, Fujimura M, Kita T, Yasui M, Kasahara K, Nakao S, Takehara K, Sato S  
Role of intercellular adhesion molecule-1 in a murine model of toluene diisocyanate-induced asthma  
*Clin Ep Allergy* 36 : 1294-1302, 2006
20. Matsushita T, Hasegawa M, Yanaba K, Koder M, Takehara K, Sato S  
Elevated serum BAFF levels in patients with systemic sclerosis (SSc): enhanced BAFF signaling in SSc B Lymphocytes  
*Arthritis Rheum* 54 : 192-201, 2006
21. Yanaba K, Komura K, Koder M, Matsushita T, Hasegawa M, Takehara K, Sato S  
Serum levels of monocyte chemotactic protein-3/CCL7 are raised in patients with systemic sclerosis: association with extent of skin sclerosis and severity of pulmonary fibrosis  
*Ann Rheum Dis* 65 : 124-126, 2006
22. Hasegawa M, Fujimoto M, Hayakawa I, Matsushita T, Nishijima C, Yamazaki M, Takehara K, Sato

## S

- Anti-phosphatidylserine-prothrombin complex antibodies in patients with localized scleroderma  
*Clin Exp Rheumatol* 24 : 19-24, 2006
23. Matsushita T, Hasegawa M, Hamaguchi Y, Takehara K, Sato S  
Longitudinal analysis of serum cytokine concentrations in systemic sclerosis: Association of interleukin 12 elevation with spontaneous regression of skin sclerosis  
*J Rheumatol* 33 : 275-284, 2006
24. Fujimoto M, Hasegawa M, Hamaguchi Y, Komura K, Matsushita T, Yanaba K, Koder M, Takehara K, Sato S  
A clue for telangiectasis in systemic sclerosis: elevated serum soluble endoglin levels in patients with the limited cutaneous form of the disease  
*Dermatology* 213 : 88-92, 2006
25. Mugii N, Hasegawa M, Matsushita T, Kondo M, Orito H, Yanaba K, Komura K, Hayakawa I, Hamaguchi Y, Ikuta M, Tachino K, Fujimoto M, Takehara K, Sato  
The efficacy of self-administered stretching for finger joint motion in Japanese patients with systemic sclerosis  
*J Rheumatol* 33 : 1586-1592, 2006
26. Horikawa M, Fujimoto M, Hasegawa M, Matsushita T, Hamaguchi Y, Kawasuji A, Matsushita Y, Fujita T, Ogawa F, Takehara K, Steeber DA, Sato S  
E- and p-selectins synergistically inhibit bleomycin-induced pulmonary fibrosis  
*Am J Pathol* 169 : 740-749, 2006
27. Hasegawa M, Hamaguchi Y, Yanaba K, Bouaziz JD, Uchida J, Fujimoto M, Matsushita T, Matsushita Y, Horikawa M, Komura K, Takehara K, Sato S, Tedder TF  
B-lymphocyte depletion reduced skin fibrosis and autoimmunity in the tight-skin mouse model for systemic sclerosis  
*Am J Pathol* 169 : 954-966, 2006
28. Kawasuji A, Hasegawa M, Horikawa M, Fujita T, Fujita T, Matsushita Y, Matsushita T, Fujimoto M, Steeber DA, Tedder TF, Takehara K, Sato S  
L-selectin and intercellular adhesion molecule-1 regulate the development of concanavalin A-induced liver injury  
*J Leukocyte Biol* 79 : 696-705, 2006
29. Yamada M, Yanaba K, Hasegawa M, Matsushita Y, Horikawa M, Komura K, Matsushita T, Kawasuji A, Fujita T, Takehara K, Tedder TF, Sato S  
Regulation of local and metastatic host-mediated anti-tumour mechanisms by L-selectin and intercellular adhesion molecule-1  
*Clin Exp Immunol* 143 : 216-227, 2006
30. Matsushita T, Fujimoto M, Hasegawa M, Komura K, Takehara K, Tedder TF, Sato S  
Inhibitory role of CD19 in the progression of experimental autoimmune encephalomyelitis by regulating cytokine response  
*Am J Pathol* 168 : 812-821, 2006