

2007年 論文業績

1. Komatsu N, Saijoh K, Kuk C, Liu AC, Khan S, Shirasaki F, Takehara K, Diamandis EP
Human tissue kallikrein expression in the stratum corneum and serum of atopic dermatitis patients
Exp Dermatol 16: 513-519, 2007
2. Hitomi Y, Tsuchiya N, Hasegawa M, Fujimoto M, Takehara K, Tokunaga K, Sato S
Association of CD22 gene polymorphism with susceptibility to limited cutaneous systemic sclerosis
Tissue Antigens 69: 242-249, 2007
3. Matsushita Y, Hasegawa M, Matsushita T, Fujimoto M, Horikawa M, Fujita T, Kawasuji A, Ogawa F, Steeber DA, Tedder TF, Takehara K, Sato S
Intercellular adhesion molecule-1 deficiency attenuates the development of skin fibrosis in tight-skin mice
J Immunol 179: 698-707, 2007
4. Komatsu N, Saijoh K, Kuk C, Shirasaki F, Takehara K, Diamandis EP
Aberrant human tissue kallikrein levels in the stratum corneum and serum of patients with psoriasis: dependence on phenotype, severity and therapy
Br J Dermatol 156: 875-883, 2007
5. Yanaba K, Hamaguchi Y, Venturi GM, Steeber DA, St. Clair EW
B cell depletion delays collagen-induced arthritis in mice: arthritis induction requires synergy between humoral and cell-mediated immunity
J Immunol 179: 1369-1380, 2007
6. Echigo T, Hasegawa M, Inaoki M, Yamazaki M, Sato S, Takehara K
Antiphospholipid antibodies in patients with autoimmune blistering disease
J Am Acad Dermatol 57: 397-400, 2007
7. Kaji K, Fujimoto M, Hasegawa M, Kondo M, Saito Y, Komura K, Matsushita T, Orito H, Hamaguchi Y, Yanaba K, Itoh M, Asano Y, Seishima M, Ogawa F, Sato S, Takehara K
Identification of a novel autoantibody reactive with 155 and 140 kDa nuclear proteins in patients with dermatomyositis: an association with malignancy
Rheumatology 46: 25-28, 2007
8. Matsushita T, Hasegawa M, Matsushita Y, Echigo T, Wayaku T, Horikawa M, Ogawa F, Takehara K, Sato S
Elevated serum BAFF levels in patients with localized scleroderma in contrast to other organ-specific autoimmune diseases
Exp Dermatol 16: 87-93, 2007
9. Komura K, Fujimoto M, Matsushita T, Yanaba K, Kodera M, Kawasuji A, Hasegawa M, Takehara K, Sato S
Increased serum soluble CD40 levels in patients with systemic sclerosis
J Rheumatol 34: 353-358, 2007
10. Matsushita T, Hasegawa M, Fujimoto M, Hamaguchi Y, Komura K, Hirano T, Horikawa M, Kondo M, Orito H, Kaji K, Saito Y, Matsushita Y, Kawara S, Yasui M, Seishima M, Ozaki S, Kuwana M, Ogawa F, Sato S, Takehara K
Clinical evaluation of anti-aminoacyl tRNA synthetase antibodies in Japanese patients with

dermatomyositis

J Rheumatol 34: 1012-1018, 2007

11. Matsushita T, Fujimoto M, Hasegawa M, Matsushita Y, Komura K, Ogawa F, Watanabe R, Takehara K, Sato S
BAFF antagonist attenuates the development of skin fibrosis in tight-skin mice
J Invest Dermatol 127: 2772-2780, 2007
12. Watanabe R, Fujimoto M, Ishiura N, Kuwano Y, Nakashima H, Yazawa N, Okochi H, Sato S, Tedder TF, Tamaki K
CD19 expression in B cells is important for suppression of contact hypersensitivity
Am J Pathol 171: 560-570, 2007
13. Shimada Y, Suzuki M, Shirasaki F, Saito E, Sogo K, Hasegawa M, Takehara K, Phromjai J, Chuhjo T, Shiraki K
Genital herpes due to acyclovir-sensitive herpes simplex virus caused secondary and recurrent herpetic whitlows due to thymidine kinase-deficient/temperature-sensitive virus
J Med Virol 79: 1731-1740, 2007
14. Komatsu N, Saijoh K, Otsuki N, Kishi T, Micheal IP, Obiezu CV, Borgono CA, Takehara K, Jayakumar A, Wu HK, Clayman GL, Diamandis EP
Proteolytic processing of human growth hormone by multiple tissue kallikreins and regulation by the serine protease inhibitor Kazal-Type5 (SPINK5) protein
Clin Chim Acta 377: 228-236, 2007
15. Matsushita T, Fujimoto M, Hasegawa M, Tanaka C, Kumada S, Ogawa F, Takehara K, Sato S
Elevated serum APRIL levels in patients with systemic sclerosis: distinct profiles of systemic sclerosis categorized by APRIL and BAFF
J Rheumatol 34: 2056-2062, 2007
16. Kuwano Y, Fujimoto M, Watanabe R, Ishiura N, Nakashima H, Komine M, Hamazaki TS, Tamaki K, Okochi H
The involvement of Gab1 and PI 3-kinase in β 1 integrin signaling in keratinocytes
Biochem Biophys Res Commun 361: 224-229, 2007
17. Kuwano Y, Fujimoto M, Watanabe R, Ishiura N, Nakashima H, Ohno Y, Yano S, Yazawa N, Okochi H, Tamaki K
Serum chemokine profiles in patients with alopecia areata
Br J Dermatol 157: 466-473, 2007
18. Nakashima H, Fujimoto M, Asashima N, Watanabe R, Kuwano Y, Yazawa N, Maruyama N, Okochi H, Kumanogoh A, Tamaki K
Serum chemokine profile in patients with bullous pemphigoid
Br J Dermatol 156: 454-459, 2007
19. Watanabe R, Fujimoto M, Yazawa N, Nakashima H, Asashima N, Kuwano Y, Tada Y, Maruyama N, Okochi H, Takaki K
Increased serum levels of a proliferation-inducing ligand in patients with bullous pemphigoid
J Dermatol Sci 46: 53-60, 2007
20. Izumi R, Fujimoto M, Yazawa N, Nakashima H, Asashima N, Watanabe R, Kuwano Y, Kurokawa M, Hashimoto T, Tamaki K
Bullous pemphigoid positive for anti-BP180 and anti-laminin 5 antibodies in a patient with graft-vs-host disease
J Am Acad Dermatol 56: 94-97, 2007

21. Kuwano Y, Fujimoto M, Watanabe R, Asashima N, Nakashima H, Ohno H, Yano S, Yazawa N, Okochi H, Tamaki K
Serum anti-Fc γ receptor autoantibodies in patients with alopecia areata
Arch Dermatol Res 298: 493-498, 2007
22. Kuwano Y, Prazma CM, Yazawa N, Watanabe R, Ishiura N, Kumanogoh A, Okochi H, Tamaki K, Fujimoto M, Tedder TF
CD83 influences cell-surface MHC class II expression on B cells and other antigen-presenting cells
Int Immunol 19: 977-992, 2007
23. Prazma CM, Yazawa N, Fujimoto Y, Fujimoto M, Tedder TF
CD83 expression is a sensitive marker of activation required for B cell and CD4+ T cell longevity in vivo
J Immunol 179: 4550-4562, 2007
24. Watanabe R, Ishiura N, Nakashima H, Yazawa N, Kuwano Y, Tada Y, Okochi H, Fujimoto M, Tamaki K
Increased serum levels of circulating CD40 ligand in patients with bullous pemphigoid: preliminary report
Dermatology 215 : 180-186, 2007
25. Iwata Y, Ogawa F, Komura K, Muroi E, Hara T, Shimizu K, Hasegawa M, Fujimoto M, Tomita Y, Sato S
Autoantibody against peroxiredoxin I, an antioxidant enzyme, in patients with systemic sclerosis: possible association with oxidative stress
Rheumatology 46 : 790-795, 2007
26. Fujita T, Fujimoto M, Matsushita T, Shimada Y, Hasegawa M, Kuwano Y, Pgawa F, Takehara K, Sato S
Phase-dependent roles of E-selectin during chronic contact hypersensitivity responses
Am J Pathol, 170 : 1649-1658, 2007
27. Yukami T, Hasegawa M, Matsushita Y, Fujita T, Matsushita T, Horikawa M, Komura K, Yanaba K, Hamaguchi Y, Nagaoka T, Ogawa F, Fujimoto M, Steeber DA, Tedder TF, Takehaea K, Sato S
Endothelial selectins regulate skin wound healing in cooperation with L-selectin and ICAM-1
J Leukoc Biol, 82 : 519-531, 2007
28. Wayaku T, Hasegawa M, Kaji K, Kondo M, Saito Y, Orito H, Horikawa M, Matsushita T, Komura K, Hayakawa I, Hamaguchi Y, Ogawa F, Fujimoto M, Takehaera K. Sato S
Antigen specificity of antihistone antibodies in connective tissue disease patients with anti-U1 RNP antibodies
Rheumatol Int, 28 : 113-119, 2007
29. Orito H, Fujimoto M, Ishiura N, Yanaba K. Matsushita T, Hasegawa M, Ogawa F, Takehara K, Sato S
Intercellular adhesion molecule-1 and vascular cell adhesion molecule-1 cooperatively to the cutaneous arthus reaction
J Leukoc Biol, 81: 1197-1204, 2007