

2009 年 論文業績

1. Hamaguchi Y, Hasegawa M, Matsushita T, Komura K, Takehara K, Fujimoto M
Clinical association of serum CD137(4-1BB) levels in patients with systemic sclerosis
J Dermatol Sci 53, 159-161, 2009
2. Kawaguchi Y, Ota Y, Kawamoto M, Ito I, Tsuchiya N, Sugiura T, Kastumata Y, Soejima M, Sato S, Hasegawa M, Fujimoto M, Takehara K, Kuwana M, Yamanaka H, Hara M
Association study of a polymorphism of the CTGF gene and susceptibility to systemic sclerosis in the Japanese population
Ann Rheum Dis 68: 1921-1924, 2009
3. Avouac J, Kowal-Bielecka O, Landewé RB, Chwiesko S, Miniati I, Czirják L, Clements PJ, Denton CP, Farge D, Fligelstone K, Foeldvari I, Furst DE, Müller-Ladner U, Seibold J, Silver RM, Takehara K, Garay Toth B, Tyndall A, Valentini G, van den Hoogen F, Wigley F, Zulian F, Matucci-Cerinic M
EULAR Scleroderma Trial and Research group (EUSTAR) recommendations for the treatment of systemic sclerosis: Methods of elaboration and results of systematic literature research
Ann Rheum Dis 68: 629-634, 2009
4. Kowal-Bielecka O, Landewé R, Avouac J, Chwiesko S, Miniati I, Czirjak L, Clements P, Denton C, Farge D, Fligelstone K, Földvari I, Furst DE, Müller-Ladner U, Seibold J, Silver RM, Takehara K, Garay Toth B, Tyndall A, Valentini G, van den Hoogen F, Wigley F, Zulian F, Matucci-Cerinic M
EULAR recommendations for the treatment of systemic sclerosis: a report from the EULAR Scleroderma Trials and Research group (EUSTAR)
Ann Rheum Dis 68: 620-628, 2009
5. Hara T, Ogawa F, Yanaba K, Iwata Y, Muroi E, Komura K, Takenaka M, Shimizu K, Hasegawa M, Fujimoto M, Sato S
Elevated serum concentrations of polymorphonuclear neutrophilic leukocyte elastase in systemic sclerosis: association with pulmonary fibrosis
J Rheumatol 36: 99-105, 2009
6. Yoshizaki A, Komura K, Iwata Y, Ogawa F, Hara T, Muroi E, Takenaka M, Shimizu K, Hasegawa M, Fujimoto M, Sato S
Clinical significance of serum HMGB-1 and sRAGE levels in systemic sclerosis: association with disease severity
J Clin Immunol 29: 180-189, 2009
7. Chujo S, Shirasaki F, Kondo M, Ikawa Y, Takehara K
Role of connective tissue growth factor and its interaction with basic fibroblast growth factor and macrophage chemoattractant protein-1 in skin fibrosis
J Cell Physiol 220: 189-195, 2009
8. Mugii N, Hasegawa M, Hamaguchi Y, Tanaka C, Kaji K, Komura K, Ueda-Hayakawa I, Horie S, Ikuta M, Tachino K, Ogawa F, Sato S, Fujimoto M and Takehara K
Reduced red blood cell velocity in nail-fold capillaries as a sensitive and specific indicator of microcirculation injury in systemic sclerosis
Rheumatology 48: 696-703, 2009
9. Hamaguchi Y, Fujimoto M, Hasegawa M, Matsushita T, Takehara K
Bosentan increases serum IL-12 levels in systemic sclerosis patients with pulmonary arterial hypertension

- J Dermatol Sci 55: 66-67, 2009
10. Iwata Y, Yoshizaki A, Ogawa F, Komura K, Hara T, Muroi E, Takenaka M, Shimizu K, Hasegawa M, Fujimoto M, Takehara K, Sato S
Increased serum pentraxin 3 in patients with systemic sclerosis
J Rheumatol 36: 976-983, 2009
 11. Ito I, Kawaguchi Y, Kawasaki A, Hasegawa M, Ohashi J, Hikami K, Kawamoto M, Fujimoto M, Takehara K, Sato S, Hara M, Tsuchiya N
Association of a functional polymorphism in the IRF5 region with systemic sclerosis in a Japanese population
Arthritis Rheum 60: 1845-1850, 2009
 12. Okumura A, Oishi N, Kaji K, Imamura T, Fuse H
Drug eruption due to intravesical instillations of both epirubicin and mitomycin C
J Dermatol 36: 419-422, 2009
 13. Komura K, Iwata Y, Ogawa F, Yoshizaki A, Yamaoka T, Akiyama Y, Hara T, Hasegawa M, Fujimoto M, Sato S
Low zone tolerance requires ICAM-1 expression to limit contact hypersensitivity elicitation
J Invest Dermatol 129: 2661-2667, 2009
 14. Yanaba K, Yoshizaki A, Muroi E, Hara T, Ogawa F, Usui A, Hasegawa M, Fujimoto M, Takehara K, Sato S
Elevated circulating TWEAK levels in systemic sclerosis: association with lower frequency of pulmonary fibrosis
J Rheumatol 36: 1657-1662, 2009
 15. Fujikawa K, Kawakami A, Kaji K, Fujimoto M, Kawashiri S, Iwamoto N, Aramaki T, Ichinose K, Tamai M, Kamachi M, Nakamura H, Ida H, Origuchi T, Ishimoto H, Mukae H, Kuwana M, Kohno S, Takehara K, Sato S, Eguchi K
Association of distinct clinical subsets with myositis-specific autoantibodies towards anti-155/140-kDa polypeptides, anti-140-kDa polypeptides, and anti-aminoacyl tRNA synthetases in Japanese patients with dermatomyositis: a single-centre, cross-sectional study
Scand J Rheumatol 38: 263-267, 2009
 16. Tomita H, Iwata Y, Ogawa F, Komura K, Shimizu K, Yoshizaki A, Hara T, Muroi E, Yanaba K, Bae S, Takenaka M, Hasegawa M, Fujimoto M, Sato S
P-Selectin glycoprotein ligand-1 contributes to wound healing predominantly as a P-selectin ligand and partly as an E-selectin ligand
J Invest Dermatol 129: 2059-2067, 2009
 17. Tsuchiya N, Kawasaki A, Hasegawa M, Fujimoto M, Takehara K, Kawaguchi Y, Kawamoto M, Hara M, Sato S
Association of STAT4 polymorphism with systemic sclerosis in a Japanese population
Ann Rheum Dis 68 : 1375-1376, 2009
 18. Nakashima H, Fujimoto M
Expression of cytokines and chemokines in bullous pemphigoid
Expert Rev Dermatol 4: 321-327, 2009
 19. Miyagaki T, Sugaya M, Kagami S, Nakashima H, Ishiura N, Watanabe R, Ohmatsu H, Fujita H, Yazawa N, Kadono T, Fujimoto M, Saeki H, Tamaki K
Increased CCL1 levels in the sera and blister fluid of patients with bullous pemphigoid
J Dermatol Sci 54: 45-47, 2009

20. Oda H, Fujimoto M, Patrick MS, Chida D, Sato Y, Azuma Y, Aoki H, Abe T, Suzuki H, Shirai M
RhoH plays critical roles in Fc epsilon RI-dependent signal transduction in mast cells
J Immunol 182: 957-962, 2009
21. Barouch-Bentov R, Che J, Lee CC, Yang Y, Herman A, Jia Y, Velentza A, Watson J, Sternberg L, Kim S, Ziaee N, Miller A, Jackson C, Fujimoto M, Young M, Batalov S, Liu Y, Warmuth M, Wiltshire T, Cooke MP, Sauer K
A conserved salt bridge in the G loop of multiple protein kinases is important for catalysis and for in vivo Lyn function
Mol Cell 33: 43-52, 2009
22. Yanaba K, Muroi E, Yoshizaki A, Hara T, Ogawa F, Shimizu K, Yozaki M, Hasegawa M, Fujimoto M, Takehara K, Sato S
Serum CXCL16 concentrations correlate with the extent of skin sclerosis in patients with systemic sclerosis
J Rheumatol 36: 1917-1923, 2009
23. Iwata Y, Yoshizaki A, Komura K, Shimizu K, Ogawa F, Hara T, Muroi E, Bae S, Takenaka M, Yukami T, Hasegawa M, Fujimoto M, Tomita Y, Tedder TF, Sato S
CD19, a response regulator of B lymphocytes, regulates wound healing through hyaluronan-induced TLR4 signaling
Am J Pathol 175: 649-660, 2009
24. Hasegawa M, Matsushita T, Horikawa M, Higashi K, Tomigahara Y, Kaneko H, Shirasaki F, Fujimoto M, Takehara K, Sato S
A novel inhibitor of smad-dependent transcriptional activation suppresses tissue fibrosis in mouse models of systemic sclerosis
Arthritis Rheum 60: 3465-3475, 2009
25. Saeki H, Furue M, Furukawa F, Hide M, Ohtsuki M, Katayama I, Sasaki R, Suto H, Takehara K; COMMITTEE for GUIDELINES for the MANAGEMENT of ATOPIC DERMATITIS of JAPANESE DERMATOLOGICAL ASSOCIATION
Guidelines for management of atopic dermatitis
J Dermatol 36: 563-577, 2009
26. Bhattacharyya S, Wei J, Melichian DS, Milbrandt J, Takehara K, Varga J
The transcriptional cofactor nab2 is induced by tgf-Beta and suppresses fibroblast activation: physiological roles and impaired expression in scleroderma
Plos One 4: e7620, 2009
27. Nakajima K, Inaki A, Hiramatsu T, Hasegawa M, Fujimoto M, Takehara K, Kinuya S
Esophageal transit scintigraphy and structured questionnaire in patients with systemic sclerosis with endoscopically proven reflux esophagitis
Ann Nucl Med 23: 771-776, 2009
28. Akiyama Y, Ogawa F, Iwata Y, Komura K, Hara T, Muroi E, Bae SJ, Takenaka K, Shimizu K, Hasegawa M, Fujimoto M, Sato S
Autoantibody against activating transcription factor-2 in patients with systemic sclerosis
Clin Exp Rheumatol 27: 751-757, 2009
29. Nakashima H, Sugaya M, Minatani Y, Ohmatsu H, Asano N, Fujimoto M, Kikuchi K, Ihn H, Tamaki K
Cutaneous gamma/delta T-cell lymphoma treated with retinoid and narrowband ultraviolet B
Clin Exp Dermatol 34: 345-346, 2009
30. Satoh T, Ishikawa O, Ihn H, Endo H, Kawaguchi Y, Sasaki T, Goto D, Takahashi K, Takahashi H,

Misaki Y, Mimori T, Muro Y, Yazawa N, Sato S, Takehara K, Kuwana M

Clinical usefulness of anti-RNA polymerase III antibody measurement by enzyme-linked immunosorbent assay

Rheumatology 48: 1570-1574, 2009

31. Kuwatsuka Y, Ogawa F, Iwata Y, Komura K, Muroi E, Hara T, Takenaka M, Shimizu K, Hasegawa M, Fujimoto M, Sato S

Decreased levels of autoantibody against histone deacetylase 3 in patients with systemic sclerosis

Autoimmunity 42: 120-125, 2009

32. Ishii T, Fujita T, Matsushita T, Yanaba K, Hasegawa M, Nakashima H, Ogawa F, Shimizu K, Takehara K, Tedder TF, Sato S, Fujimoto M

Establishment of experimental eosinophilic vasculitis by IgE-mediated cutaneous reverse passive arthus reaction

Am J Pathol, 174: 2225-2233, 2009