

2012 年 論文業績

1. Nakasone Y, Fujimoto M, Matsushita T, Hamaguchi Y, Huu DL, Yanaba M, Sato S, Takehara K, Hasegawa M
Host-Derived MCP-1 and MIP-1 α Regulate Protective Anti-Tumor Immunity to Localized and Metastatic B16 Melanoma
Am J Pathol 180: 365-374, 2012
2. Tanaka C, Hasegawa M, Fujimoto M, Iwatsuki K, Yamamoto K, Yamada K, Kawa K, Saikawa Y, Toga A, Mase S, Wada T, Takehara K, Yachie A
Phenotypic analysis in a case of hydroa vacciniforme-like eruptions associated with chronic active Epstein-Barr virus disease of $\gamma \delta$ T cells
Br J Dermatol 166: 216-218, 2012
3. Adachi T, Harumiya S, Takematsu H, Kozutsumi Y, Wabl M, **Fujimoto M**, Tedder TF
CD22 serves as a receptor for soluble IgM
Eur J Immunol 42: 241-247, 2012
4. Hasegawa M, Asano Y, Endo H, Fujimoto M, Goto D, Ihn H, Inoue K, Ishikawa O, Kawaguchi Y, Kuwana M, Muro Y, Ogawa F, Sasaki T, Takahashi H, Tanaka S, Takehara K, Sato S
Investigation of prognostic factors for skin sclerosis and lung function in Japanese patients with early systemic sclerosis: a multicentre prospective observational study
Rheumatology 51: 129-133, 2012
5. Fujimoto M, Hamaguchi Y, Kaji K, Matsushita T, Ichimura Y, Kodera M, Ishiguro N, Ueda-Hayakawa I, Asano Y, Ogawa F, Fujikawa K, Miyagi T, Mabuchi E, Hirose K, Akimoto N, Hatta N, Tsutsui K, Higashi A, Igarashi A, Seishima M, Hasegawa M, Takehara K.
Myositis-specific anti-155/140 autoantibodies target transcription intermediary factor 1 family proteins
Arth Rheum 64: 513-522, 2012
6. Kajihara I, Jinnin M, Yamane K, Makino T, Honda N, Igata T, Masuguchi S, Fukushima S, Okamoto Y, Hasegawa M, Fujimoto M, Ihn H
Increased accumulation of extracellular thrombospondin-2 due to low degradation activity stimulates type I collagen expression in scleroderma fibroblasts
Am J Pathol 180: 703-714, 2012
7. Honda N, Jinnin M, Kajihara I, Makino T, Makino K, Masuguchi S, Fukushima S, Okamoto Y, Hasegawa M, Fujimoto M, Ihn H
TGF- β -mediated downregulation of microRNA-196a contributes to the constitutive upregulated type I collagen expression in scleroderma dermal fibroblasts
J Immunol 188: 3323-3331, 2012
8. Koga T, Fujikawa K, Horai Y, Okada A, Kawashiri SY, Iwamoto N, Suzuki T, Nakashima Y, Tamai M, Arima K, Yamasaki S, Nakamura H, Origuchi T, Hamaguchi Y, Fujimoto M, Ishimatsu Y, Mukae H, Kuwana M, Kohno S, Eguchi K, Aoyagi K, Kawakami A
The diagnostic utility of anti-melanoma differentiation-associated gene 5 antibody testing for predicting the prognosis of Japanese patients with DM
Rheumatology 51: 1278-1284, 2012
9. Nakashima T, Jinnin M, Yamane K, Honda N, Kajihara I, Makino T, Masuguchi S, Fukushima S, Okamoto Y, Hasegawa M, Fujimoto M, Ihn H

- Impaired IL-17 signaling pathway contributes to the increased collagen expression in scleroderma fibroblasts
J Immunol 188: 3573-3583, 2012
10. Hasebe N, Kawasaki A, Ito I, Kawamoto M, Hasegawa M, Fujimoto M, Furukawa H, Tohma S, Sumida T, Takehara K, Sato S, Kawaguchi Y, Tsuchiya N
Association of UBE2L3 polymorphisms with diffuse cutaneous systemic sclerosis in a Japanese population
Ann Rheum Dis 71: 1259-1260, 2012
11. Yanaba K, Asano Y, Tada Y, Sugaya M, Kadono T, Hamaguchi Y, Sato S
Increased serum soluble CD147 levels in patients with systemic sclerosis: association with scleroderma renal crisis
Clin Rheumatol 31: 835-839, 2012
12. Ichimura Y, Matsushita T, **Hamaguchi Y**, Kaji K, Hasegawa M, Tanino Y, Inokoshi Y, Kawai K, Kanekura T, Habuchi M, Igarashi A, Sogame R, Hashimoto T, Koga T, Nishino A, Ishiguro N, Sugimoto N, Aoki R, Ando N, Abe T, Kanda T, Kuwana M, Takehara K, Fujimoto M
Anti-NXP2 autoantibodies in adult patients with idiopathic inflammatory myopathies: possible association with malignancy
Ann Rheum Dis 71: 710-712, 2012
13. Hasegawa M, Orito H, Yamamoto K, Matsushita T, Hamaguchi Y, Fujimoto M, Takehara K
Skin sclerosis as a manifestation of POEMS syndrome
J Dermatol, 39: 922-926
14. Imura-Kumada S, Hasegawa M, Matsushita T, Hamaguchi Y, Encabo S, Shums Z, Norman GL, Takehara K, Fujimoto M
High prevalence of primary biliary cirrhosis and disease-associated autoantibodies in Japanese patients with systemic sclerosis
Mod Rheumatol 22: 892-898, 2012
15. Ohashi M, Moriya C, Kanoh H, Kinomura Y, Terakura Y, Kasahara S, Hamaguchi Y, Fujimoto M, Seishima M
Adult-onset Still's disease with dermatomyositis-like eruption
J Dermatol 39: 958-960, 2012
16. Shimizu Y, Watanabe T, Nakada M, Hayashi Y, Hamaguchi Y, Sugimori N, Hamada JI.
Neuro-Sweet disease mimicking recurrent anaplastic astrocytoma associated with therapy-related myelodysplastic syndrome: A case report
Clin Neurol Neurosurg 114: 1049-1051, 2012
17. Matsuura E1, Ishiguro N, Katsumata Y, Urano W, Yamanaka H, Kondo M, Kuwana M, Kaji K, Hamaguchi Y, Fujimoto M, Kawashima M.
Two young-adult female cases of dermatomyositis with antibodies for transcriptional intermediary factor 1- γ .
Eur J Dermatol 22: 668-671, 2012
18. Hasegawa M, Fujimoto M, Orito H, Matsushita T, Hamaguchi Y, Takehara K.
Two cases of livedo vasculopathy with non-criteria antiphospholipid antibodies.
J Dermatol 39: 1026-30, 2012
19. Shimizu M, Hamaguchi Y, Matsushita T, Sakakibara Y, Yachie A.
Sequentially appearing erythema nodosum, erythema multiforme and Henoch-Schönlein purpura in a patient with Mycoplasma pneumoniae infection: a case report.

J Med Case Rep 6: 398, 2012

20. Jin G, Matsushita T, Hamaguchi Y, Le Huu D, Ishii T, Hasegawa M, Obata K, Karasuyama H, Takehara K, Fujimoto M

Basophils and mast cells play critical roles for leukocyte recruitment in IgE-mediated cutaneous reverse passive Arthus reaction

J Dermatol Sci, 67 : 181-189, 2012

21. Le Huu D, Matsushita T, Jin G, Hamaguchi Y, Hasegawa M, Takehara K, Fujimoto M

IL-6 Blockade Attenuates the Development of Murine Sclerodermatosus Chronic Graft-Versus-Host Disease

J Invest Dermatol, 132 : 2752-2761, 2012

22. Okamoto Y, Hasegawa M, Matsushita T, Hamaguchi Y, Huu DL, Iwakura Y, Fujimoto M, Takehara K

Potential roles of interleukin 17A in the development of skin fibrosis

Arth Rheum, 64 : 3726-3735, 2012